


Product Presentation



Application

This machine was use to do a variety of zipper reciprocating tests, by tests in a continuous back and forth action, the ultimate aim is to test the zipper created a distance between joints, loose or connector failure, fluff, wear, etc.



Feature

- Reasonable design, easy to operate
- Equip with automatic counting device to complete test and automatically machine stop.

Control Panel




Press keys for setting parameters.

Manual Adjust Knob



To adjust place of fixtures.

Fixtures



To fix sample zippers.

Pull Pounds



To adjust tension in vertical and horizontal on zippers.

Front View



Front view of whole machine

Side View



Side view of whole machine

Specification

| | |
|--------------------------|------------------------------------|
| Model | GT-C39A |
| Horizontal fixture width | 25mm |
| Test speed | 30cpm |
| Reciprocating stroke | 75mm |
| Angle | Open: 30degree. Close: 60degree |
| Counter | LCD, 0-999999 |
| Power Supply | AC 220V 50/60HZ |
| Dimensions | 480 x 370 x600mm |
| Weight | 61kg |

Standard

CNS -1083 , BS 3084 , QB/T2171

Accessories

| | | |
|-----------------------|------|--------------------|
| Standards accessories | 1pc | 60° Angle gauge |
| | 1pc | 30° Angle gauge |
| | 8pcs | Positioning pieces |
| | 1pc | Power line |